



SIDE A



Reserve





R 90 x 30 (38) - 18 x t
 |TYPE |LW |SW NOMINAL |SW ACTUAL |w |t



Type - LW x SW (SW actual) - w x t (mm)	Mild steel (kg/m ²)	Aluminium (kg/m ²)	Available sheet size (mm)	Sheet thickness (mm) measured at the centre	% front open area
R 90 x 30 (38) - 18 x 1,5	11,00	3,60	LW 1000 x SW 2000 LW 1250 x SW 2500 LW 1500 x SW 3000	13 (-) ◆	10 (-)
R 90 x 30 (38) - 18 x 2,0	14,60	4,80	LW 2000 - 2500 x SW 1500 Max		

◆ Framing profiles: see page 192

SIDE B




Reserve

R 90 x 30 (38) - 18 x t

|TYPE|LW |SW NOMINAL |SW ACTUAL |w |t

protech



Type - LW x SW (SW actual) - w x t (mm)	Mild steel (kg/m ²)	Aluminium (kg/m ²)	Available sheet size (mm)	Sheet thickness (mm) measured at the centre	% front open area
R 90 x 30 (38) - 18 x 1,5	11,00	3,60	LW 1000 x SW 2000	13 (-) ◆	10 (-)
R 90 x 30 (38) - 18 x 2,0	14,60	4,80	LW 1250 x SW 2500		
			LW 1500 x SW 3000		
			LW 2000 - 2500 x SW 1500 Max		

◆ Framing profiles: see page 192

